





No 12

## HOODIE

Raglan sweater w/hood and pocket  
Instruction: Olaug Beate Bjelland

**Sizes:**

(2) 4 (6) 8 (10) 12 yrs

**Measurements:**

Chest width: (65) 70 (75) 78 (83) 88 cm

Length: approx (37) 41 (45) 48 (51) 54 cm

Sleeve length: (26) 30 (33) 36 (39) 40 cm, or suitable length

All measurements are for the finished garment = personal body measurements + movement allowance. The measurements are all according to given tension.

**Yarn:**

KOS (62 % baby alpaca, 9 % wool, 29 % nylon, 50 g = 150 m)  
SUNDAY (100% merino wool, 50 g = 235 m)

**Yarn required:**

KOS  
Petroleum melange #6870: (3) 3 (4) 4 (5) 5 balls  
Grey melange #1043: 1 ball all sizes  
Dusty pastel green #8521: 1 ball all sizes  
Riviera blue #6031: 1 ball all sizes  
SUNDAY  
Dusty pastel green #8521: 1 ball or remnants for cord

**Suggested knitting needles:**

Circular and double pointed 4.5 mm and 5.5 mm

Needle sizes are only suggestions. If your knitting shows tighter tension, use thicker needles, for looser tension use thinner needle

**Tension:**

16 sts and 24 rnds St-st with 5.5 mm ndls = 10x10 cm

**Back and front:**

With grey melange and 4.5 mm circular ndl cast on (104) 112 (120) 124 (132) 140 sts. Join and work (2½) 2½ (3) 3 (4) 4 cm ribbing k2, p2 in rnds.  
Insert marker at sides with (52) 56 (60) 62 (66) 70 sts for each part.  
Transfer the (36) 40 (44) 46 (50) 54 middle front sts for pocket to spare ndl.

Change to petroleum melange and 5.5 mm circular ndl.

With petroleum melange cast on (36) 40 (44) 46 (50) 54 new sts at back of sts on spare ndl.

Cont St-st until garment meas (24) 27 (30) 33 (35) 36 cm.

Cast off (6) 6 (6) 6 (8) 8 sts at each side for armholes (= (3) 3 (3) 3 (4) 4 sts at each side of markers).

Put aside and work sleeves.

**Right sleeve:**

With dusty pastel green and 4.5 mm double pointed ndls cast on (28) 30 (32) 32 (34) 34 sts. Join and work (3) 3 (4) 4 (5) 5 cm ribbing k1, p1 in rnds.

Change to petroleum melange and 5.5 mm double pointed ndls.

Insert marker at beg of rnd = middle underarm.

Cont St-st in rnds, **while** inc evenly spaced to (38) 40 (42) 44 (48) 52 sts on second rnd.

Cont until sleeve meas (26) 30 (33) 36 (39) 40 cm, or suitable length.

Cast off (6) 6 (6) 6 (8) 8 middle underarm sts.

Put aside and work left sleeve.

**Left sleeve:**

With Riviera blue and 4.5 mm double pointed ndls cast on (28) 30 (32) 32 (34) 34 sts. Join and work (3) 3 (4) 4 (5) 5 cm ribbing k1, p1 in rnds.

Change to petroleum melange and work in the same manner as right sleeve.

**Raglan:**

Transfer sleeve sts to the circular 5.5 mm garment ndl, placing one sleeve above each armhole cast-off = (156) 168 (180) 188 (196) 212 sts.

Insert marker at each junction.

Rnd beg at sts for the back, and k (1) 1 (1) 3 (3) 1 rnds.

Dec for raglan as follows: k2tog after each marker, and sl 1, k1, psso before each marker = 8 sts dec.

Rep dec on alt rnds a total of (10) 11 (12) 13 (14) 15 times = (76) 80 (84) 84 (84) 92 sts.

Transfer the (12) 12 (14) 14 (16) 16 middle front sts for neck to spare ndl and work to end of rnd. Cut yarn and beg again at neck.

Work raglan dec on RS rows.

Cont back and forth, and dec for raglan 3 times more, **at the same time** cast off 2 sts at beg of every row on each side of neck = 6 sts cast off at each side.

Leave rem sts on ndl for neck.

**Hood:**

Change to 4.5 mm double pointed ndls and cont with petroleum melange.

Knit neck sts from ndl and knit up sts at neck edge to (56) 60 (64) 64 (68) 68 sts.

Work ribbing k2, p2 in rnds.

**NOTE:** Adjust sts to work k2 or p2 over the 2 middle front sts.

Cont ribbing (2) 2 (2) 2½ (2½) 2½ cm, cast off the 2 middle front sts on last rnd, cont to end of rnd, cut yarn and beg again at neck.

Change to 5.5 mm circular ndl.

Cont St-st and cast on 1 new st at beg and end of row (= edge sts) = (56) 60 (64) 64 (68) 68 sts.

K edge sts every row further.

Insert marker around the 2 middle back sts.

Work 5 cm St-st back and forth inside 1 edge st at each side.

Inc 1 st at each side of marker (inc: pick up yarn before/after marked st and k tbl this new st).

Rep inc every (6) 6 (5) 5 (5) 5 cm (2) 2 (3) 3 (3) 3 times = (60) 64 (70) 70 (74) 74 sts.

Cont until hood meas approx (17) 18 (19) 20 (21) 22 cm.

From RS dec at back of hood as follows:

Work until 2 sts before middle sts, sl 1, k1, psso, k2, k2tog.

Rep dec on alt rows a total of 4 times = (52) 56 (62) 62 (66) 66 sts.

Transfer half of the sts on row to another ndl.

Fold hood with RS facing, and k tog first st from each ndl, **at the same time** cast off.

**Finishing:**

Sew underarm openings

**Hood edging:**

Beg at middle front neck.

With petroleum melange and 4.5 mm circular ndl knit up at hood edge approx 1 st every st/row, but miss every 4th st/row to approx (72) 76 (80) 84 (86) 90 sts.

Work 8 rows St-st back and forth. Cast off loosely.

Fold edging to WS and sew nicely with hidden sts.

**Pocket:**

Transfer sts from spare ndl to 5.5 mm ndl = (36) 40 (44) 46 (50) 54 sts and work pocket in grey melange.

Cast on 1 new st at each side for edge sts = (38) 42 (46) 48 (52) 56 sts. Cont St-st back and forth inside 1 edge st at each side until pocket meas (3) 4 (4) 4 (5) 5 cm.

Cast off at beg of row at each side 4 sts (0)0(0)0(0)1 time, 3 sts (1)2(2)1(2)1 times, 2 sts (4)3(3)4(3)3 times = (11) 12 (12) 11 (12) 13 sts cast off at each side.

Cast off 1 st every 4th row (1) 1 (1) 2 (2) 2 times = (14) 16 (20) 22 (24) 26 sts.

Cont until pocket meas (13) 14 (14) 15 (16) 16 cm.

Cast off.

#### **Pocket band right side:**

With riviera blue and 4.5 mm ndls knit up approx (15) 17 (19) 21 (21) 23 sts at curved edge

Work 3 rows ribbing back and forth as follows:

(First row = WS) 1 edge st, k1, \*p1, k1\*, rep from \*-\*, end with 1 edge st.

Cast off rib-wise.

#### **Pocket band left side:**

Work in the same manner as right band, but with dusty pastel green.

Sew pocket sides to front, inside 1 edge st.

Sew pocket at upper edge inside 1 edge st.

#### **Cord:**

With 1 thread SUNDAY and 3 mm ndl cast on 4 sts and work cord as follows:

K 1 row, slide sts to other end of ndl, hold yarn firmly and k sts again. Do not turn work. Rep this and always k sts from the same side.

Work cord until suitable length.

Cast off.

Pull cord through band of hood.



